

# MATERIAL SAFETY DATA SHEET

---

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### Product Identification

Product Name: Strip Putty Black 3/16" Bead  
Product Number: 1508

### Company Identification

International Epoxies & Sealers  
30241 Commerce Drive  
San Antonio, FL 33576  
Telephone: 1-800-451-7206

EMERGENCY PHONE: Infotrac: 1-800-535-5053  
Outside the U.S. Call Collect: 1-352-323-3500

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

### COMPONENT LISTING:

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
PROPRIETARY BLEND	100%	BLEND

(See Section 8 for exposure guidelines)

(See Section 15 for regulatory information)

### COMPOSITION COMMENT:

The balance of the components are considered non-hazardous

### HAZARDS DISCLOSURE:

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

As defined under Sara 311 and 312, this product contains no known hazardous materials.

## 3. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

May cause skin or eye irritation after repeated or prolonged contact.

HMIS Rating-      Health: 1  
                          Flammability: 0  
                          Reactivity: 0

## **POTENTIAL HEALTH EFFECTS**

### **EYE:**

May cause slight irritation

### **SKIN:**

May cause slight skin irritation with prolonged exposure

### **INHALATION:**

No hazards expected in normal industrial use at room temperature

### **INGESTION:**

May be harmful if swallowed

### **CARCINOGENICITY INFORMATION:**

No known cancer hazards

### **MISCELLANEOUS:**

Poses little or no immediate hazard

## **4. FIRST AID MEASURES**

### **EYE CONTACT FIRST AID:**

Flush eye with water for 15 minutes

### **SKIN CONTACT FIRST AID:**

Wash skin with soap and water

### **INHALATION FIRST AID:**

No specific treatment is necessary since this material is not likely to be hazardous by inhalation

### **INGESTION FIRST AID:**

Contact a physician

## **5. FIRE FIGHTING MEASURES**

### **FLAMMABLE PROPERTIES**

COC Flash Point: >260.0 C (>500.0 F)

Autoignition Temperature: N/A

### **FLAMMABLE LIMITS IN AIR**

LEL: N/A

UEL: N/A

### **EXTINGUISHING MEDIA:**

Water, carbon dioxide, foam or dry powder

### **FIRE AND EXPLOSION HAZARDS:**

No known unusual hazards in a fire/explosion situation

### **FIRE FIGHTING INSTRUCTIONS:**

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

### SAFEGUARDS (PERSONNEL):

Wear appropriate personal protective equipment

### INITIAL CONTAINMENT:

Take up and place in secure closed containers

### SMALL SPILLS PROCEDURE:

Pick up material and return to a clean container for use or disposal into a landfill

## 7. HANDLING AND STORAGE

### SHELF LIFE: (in original, sealed containers)

1 year @ 43.3 C

### HANDLING (PERSONNEL):

When sampling containers use appropriate personal protective equipment

### HANDLING (PHYSICAL ASPECTS):

Store in a dry area with a temperature of less than 110F. Do not store in unlabeled containers. Keep out of reach of children

### STORAGE PRECAUTIONS:

Store in a cool dry place. Store away from solvents

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

### ENGINEERING CONTROLS:

Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product

### EYE/ FACE PROTECTION REQUIREMENTS:

Where contact with this material is likely, eye protection is recommended

### SKIN PROTECTION REQUIREMENTS:

Wear protective gloves to minimize skin contamination

### RESPIRATORY PROTECTION REQUIREMENTS:

Under normal use conditions, with adequate ventilation, no special handling equipment is required. Local exhaust may be necessary

### EXPOSURE GUIDELINES:

No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM.....: SOLID  
COLOR.....: 1508  
ODOR.....: Faint Odor  
SOLUBILITY IN WATER..: N/A  
SPECIFIC GRAVITY.....: 1.77 (Water = 1)

## 10. STABILITY AND REACTIVITY

**STABILITY:**

Stable

**POLYMERIZATION:**

Hazardous polymerization will not occur

**INCOMPATIBILITY WITH OTHER MATERIALS:**

Incompatible with strong solvents

**DECOMPOSITION:**

In the case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced

## 11. TOXICOLOGICAL INFORMATION

No information available

## 12. ECOLOGICAL INFORMATION

No information available

## 13. DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:**

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements

## 14. TRANSPORTATION INFORMATION

PRODUCT LABEL.....: 1508

## 15. REGULATORY INFORMATION

**WHMIS Hazard Symbols:**

None

## 16. OTHER INFORMATION

REASON FOR ISSUE.....: Revision

APPROVAL DATE.....: November 20, 2003

SUPERCEDES DATE.....: March 1, 1994

**ADDITIONAL INFORMATION:**

It does not relate to use in combination with any other material or in any process. The date in this Material Safety Data Sheet relates only to the specific material designated herein.

---

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of International Epoxies & Sealers. The data on this sheet are related only to the specific material designated herein. International Epoxies & Sealers assumes no legal responsibility for use or reliance upon these data.

---

**END OF MSDS**