

## #4557

### INTER-GUARD

Rust Proofing Wax Honey Coating

A fast drying wax-based barrier film which flows readily into cracks and seams to protect metals from rust and corrosion. Offers longterm protection against weather and water. Will not crack, chip or peel. Will not attack copper, brass, steel or aluminum. Does not contain silicone.

- Superior Protective Rust Inhibitor
- Protects From Salts and Chemicals
- Resists Rock and Gravel Abrasion
- Will Not Run, Drop or Sag
- Weatherproof and Waterproof
- Can Be Used Anywhere!

#### TECHNICAL DATA

Flammability:	"Extremely Flammable"
Flash Point:	-4°F
Specific Gravity:	0.82
Solids Content:	17%
VOC Content:	~50%, cannot exceed 60%
MIR Value:	~1.14, cannot exceed 1.20
HAPs Content:	11%
Storage Temperature:	40-90°F
Application Temp.:	50-100°F
Durability:	Excellent
Abrasion Resistance:	Excellent
Heat Resistance:	350°F
Resin System:	Modified Epoxy
Food Contact Rating:	Category 21: Acceptable
Shelf Life:	1 year

#### DRY TIME\*

To touch:	10 minutes
To recoat:	30 minutes
Hard Cure:	48 hours
*at 72°F, 50% humidity, 1.5 mil thickness	

**NOTE:** Allow 24 hours drying time before topcoating. Do not apply excessively. It will lengthen the drying time.

Gloss\*:  
Flat, <15  
(\*as measured on a 60° gloss meter)

Recommended film thickness: 0.5 - 1.0 mil dry fil.  
Exceeds 800 hours of 5% salt spray fog test (ASTM #B117)



#### DIRECTIONS

1. Shake well before using. Wear safety glasses.
2. Surface should be clean, dry and free of grease, dirt and rust.
3. Hold can 10-12 inches from surface to be coated and apply a uniform coat over the entire area to be protected. Use the extension tube for hard to reach areas. For optimum rust protection, a 4 to 5 mil dry film thickness is recommended. This will usually require two passes.
4. Allow to dry for two to four hours before exposing to wet environmental conditions.
5. Do not spray on catalytic converter.
6. Clean valve after use by inverting can and spraying until free of material.

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

#### PRODUCT AVAILABLE

#4557	20 oz. Aerosol Can	12 per case
	Net Weight 13.75 oz	

NOTICE TO PURCHASER: The following warranty is in lieu of all other expressed or implied warranties, specifically all goods are manufactured of first class materials and by competent professionals. We have no control over the use and application of our products. Our liability shall not exceed the purchase price.