Material Name: 1589B/G/T INTER-SEAM STP Polymeric

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

#### **Material Name**

1589B/G/T INTER-SEAM STP Polymeric Sprayable Seam Sealer (1589B, 1589G, 1589T)

#### **Product Use**

Adhesives. Sealant.

#### **Restrictions on Use**

None known.

## Details of the supplier of the safety data sheet

International Epoxies & Sealers

30241 Commerce Drive

San Antonio, FL 33576

Phone: (352) 588-2400

Emergency Phone #: INFOTRAC (800) 535-5053 (Outside the U.S/Canada call 1(352) 323-3500)

## **Section 2 - HAZARDS IDENTIFICATION**

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute Toxicity - Oral - Category 4

Serious Eye Damage/Eye Irritation - Category 2A

Carcinogenicity - Category 1A

Reproductive Toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1 (central nervous system)

Specific Target Organ Toxicity - Repeated Exposure - Category 1 (respiratory system)

Specific Target Organ Toxicity - Repeated Exposure - Category 2 (bladder)

## **GHS Label Elements**

#### Symbol(s)





## Signal Word

Danger

#### **Hazard Statement(s)**

Harmful if swallowed.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary Statement(s)**

#### **Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

#### Response

If exposed: Call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

Get medical advice/attention if you feel unwell.

Specific treatment (see label).

## Storage

Store locked up.

#### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Statement(s) of Unknown Acute Toxicity

Oral 71.91% of the mixture consists of ingredient(s) of unknown acute toxicity.

## **Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

CAS	Component Name	Percent
1317-65-3	Calcium carbonate	30-60
471-34-1	Carbonic acid, calcium salt (1:1)	15-40
13463-67-7	Titanium dioxide (White, Gray, Beige and Neutral only)	1-5
2768-02-7	Organosilane	1-5
818-08-6	Dibutyltin oxide	0.1-1
28553-12-0	Diisononyl phthalate	15-40
1333-86-4	Carbon black (*used in Black only)	0.05-<0.1

## **Section 4 - FIRST AID MEASURES**

#### Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell.

#### Skin

IF ON SKIN Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

## **Most Important Symptoms/Effects**

Acute

Page 2 of 12 Issue date: 08-10-2018 Revision 1.0 Print date: 03-13-2020

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

Harmful if swallowed. Causes serious eye irritation.

#### **Delayed**

May cause cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.

#### Section 5 - FIRE FIGHTING MEASURES

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam or water.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams.

#### **Special Hazards Arising from the Chemical**

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

#### **Hazardous Combustion Products**

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

#### Advice for firefighters

Heating may cause an explosion. Containers may rupture or explode.

## **Fire Fighting Measures**

Keep away from sources of ignition - No smoking Move material from fire area if it can be done without risk Avoid inhalation of vapors or combustion by-products. Dike for later disposal. Stay upwind and keep out of low areas.

#### **Special Protective Equipment and Precautions for Firefighters**

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

#### Section 6 - ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

## Methods and Materials for Containment and Cleaning Up

Keep unnecessary people away, isolate hazard area and deny entry. In case of spillage, stop the flow of material and block any potential routes to water systems. Only personnel trained for the hazards of this material should perform clean up and disposal.

#### **Environmental Precautions**

Do not flush into sanitary sewer systems, drains or surface water. Avoid release to the environment.

## **Section 7 - HANDLING AND STORAGE**

## **Precautions for Safe Handling**

Do not handle until all safety precautions have been read and understood. Keep away from all ignition sources. Avoid contact with eyes and skin. Do not eat, drink or smoke when using this product. Always wear recommended personal protective equipment. Wear personal protective clothing and equipment, see Section 8. Take precautionary measures against static discharge.

#### Conditions for Safe Storage, Including any Incompatibilities

Store locked up.

Store in a cool dry place. Store in a well-ventilated area. Keep separated from incompatible substances. Keep container tightly closed. Empty containers may contain product residue. Store and handle in accordance with all current regulations and standards. Avoid contact with temperatures above 120 C.

#### **Incompatible Materials**

Strong oxidizer. strong acids.

Material Name: 1589B/G/T INTER-SEAM STP Polymeric

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**Component Exposure Limits** 

Calcium carbonate	1317-65-3
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
OSHA (US):	15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction
Mexico:	10 mg/m3 TWA VLE-PPT
	20 mg/m3 STEL [PPT-CT]
Carbonic acid, calcium salt (1:1)	471-34-1
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
Titanium dioxide	13463-67-7
ACGIH:	10 mg/m3 TWA
NIOSH:	2.4 mg/m3 TWA (CIB 63 ) fine ; 0.3 mg/m3 TWA (CIB 63 ) ultrafine, including engineered nanoscale
	5000 mg/m3 IDLH
OSHA (US):	15 mg/m3 TWA total dust
Mexico:	10 mg/m3 TWA VLE-PPT as Ti
	20 mg/m3 STEL [PPT-CT] as Ti
Carbon black	1333-86-4
ACGIH:	3 mg/m3 TWA inhalable particulate matter
NIOSH:	3.5 mg/m3 TWA; 0.1 mg/m3 TWA (Carbon black in presence of Polycyclic aromatic hydrocarbons) as PAH
	1750 mg/m3 IDLH
OSHA (US):	3.5 mg/m3 TWA
Mexico:	3.5 mg/m3 TWA VLE-PPT
	7 mg/m3 STEL [PPT-CT ]

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system.

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

## Individual Protection Measures, such as Personal Protective Equipment

## **Eye/face protection**

Wear splash resistant safety goggles with a faceshield.

#### **Respiratory Protection**

Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

#### **Glove Recommendations**

Wear appropriate chemical resistant gloves.

#### **Protective Materials**

Wear appropriate chemical resistant clothing.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	paste	Physical State	solid		
Odor	mild	Color	black, white, gray		
Odor Threshold	Not available	рН	Not available		
Melting Point	Not available	<b>Boiling Point</b>	Not available		
<b>Boiling Point Range</b>	Not available	Freezing point	Not available		
<b>Evaporation Rate</b>	Not available	Flammability (solid, gas)	Not available		
<b>Autoignition Temperature</b>	Not available	Flash Point	93.3 °C (>200 °F)		
Lower Explosive Limit	Not available	<b>Decomposition temperature</b>	Not available		
<b>Upper Explosive Limit</b>	Not available	Vapor Pressure	Not available		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.3 - 1.7		
Water Solubility	(Slightly soluble )	Partition coefficient: n-octanol/water	Not available		
Viscosity	Not available	Kinematic viscosity	Not available		
Solubility (Other)	Not available	Density	Not available		
Physical Form	paste	Molecular Weight	Not available		

## **Section 10 - STABILITY AND REACTIVITY**

## Reactivity

No reactivity hazard is expected.

## **Chemical Stability**

Stable at normal temperatures and pressure.

#### **Possibility of Hazardous Reactions**

Will not polymerize.

## **Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials. Avoid contact with temperatures above 120 C.

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

#### **Incompatible Materials**

Strong acids. Strong oxidizer.

## Hazardous decomposition products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## Section 11 - TOXICOLOGICAL INFORMATION

#### **Information on Likely Routes of Exposure**

#### Inhalation

May be harmful if inhaled.

#### **Skin Contact**

May cause skin irritation.

#### **Eye Contact**

Causes serious eye irritation.

## Ingestion

Harmful if swallowed.

## **Acute and Chronic Toxicity**

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Carbonic acid, calcium salt (1:1) (471-34-1)

Oral LD50 Rat 6450 mg/kg

#### **Titanium dioxide (13463-67-7)**

Oral LD50 Rat >10000 mg/kg

## **Organosilane** (2768-02-7)

Oral LD50 Rat 7340 µL/kg

## Dibutyltin oxide (818-08-6)

Oral LD50 Rat 44.9 mg/kg

## Diisononyl phthalate (28553-12-0)

Oral LD50 Rat >9750 mg/kg

Inhalation LC50 Rat >4.4 mg/L 4 h (no deaths occurred )

# Carbon black (1333-86-4)

Oral LD50 Rat >15400 mg/kg

## **Product Toxicity Data**

## **Acute Toxicity Estimate**

Oral 1261.241 mg/kg	,
---------------------	---

## **Immediate Effects**

Harmful if swallowed. Causes serious eye irritation.

#### **Delayed Effects**

May cause cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.

## **Irritation/Corrosivity Data**

Causes serious eye irritation.

## **Respiratory Sensitization**

No information on significant adverse effects.

## **Dermal Sensitization**

No information on significant adverse effects.

## **Component Carcinogenicity**

Page 6 of 12 Issue date: 08-10-2018 Revision 1.0 Print date: 03-13-2020

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

Titanium dioxide	13463-67-7
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 93 [2010]; Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 3A (could be carcinogenic for man ;inhalable fraction with the exception of ultra small particles )
OSHA:	Present
NIOSH:	potential occupational carcinogen
Carbon black	1333-86-4
ACGIH:	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
IARC:	Monograph 93 [2010]; Monograph 65 [1996] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 3B (could be carcinogenic for man ;inhalable fraction )
OSHA:	Present
NIOSH:	potential occupational carcinogen

Results of a DuPont epidemiology study showed that employees who had been exposed to titanium dioxide pigments were at no greater risk of developing lung cancer than were employees who had not been exposed to titanium dioxide pigments. No pulmonary fibrosis was found in any of the employees and no associations were observed between titanium dioxide pigment exposure and chronic respiratory disease or lung abnormalities. Based on the results of this study, DuPont concluded that titanium dioxide pigment will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace.

#### **Germ Cell Mutagenicity**

No information on significant adverse effects.

#### **Tumorigenic Data**

No information on significant adverse effects.

#### **Reproductive Toxicity**

May damage fertility or the unborn child.

## **Specific Target Organ Toxicity - Single Exposure**

Central nervous system.

## **Specific Target Organ Toxicity - Repeated Exposure**

Respiratory system. Bladder.

#### **Aspiration hazard**

No information on significant adverse effects.

## **Medical Conditions Aggravated by Exposure**

No data available.

## **Section 12 - ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

May cause long lasting harmful effects to aquatic life.

**Component Analysis - Aquatic Toxicity** 

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

Diisononyl phthalate	28553-12-0
Fish:	LC50 96 h Brachydanio rerio >100 mg/L [semi-static]; LC50 96 h Lepomis macrochirus >0.14 mg/L [flow-through]; LC50 96 h Lepomis macrochirus >0.17 mg/L [static]; LC50 96 h Pimephales promelas >0.19 mg/L [flow-through]; LC50 96 h Pimephales promelas >0.14 mg/L [static]
Algae:	EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID ; EC50 96 h Pseudokirchneriella subcapitata >1.8 mg/L [static ] EPA
Invertebrate:	EC50 48 h Daphnia magna >500 mg/L IUCLID ; EC50 48 h Daphnia magna >0.06 mg/L [Static ] EPA

## **Section 13 - DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

#### **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

## **Section 14 - TRANSPORT INFORMATION**

## **US DOT Information:**

Further information: Not regulated as dangerous goods

IATA Information:

Further information: Not regulated as dangerous goods

ICAO Information:

Further information: Not regulated as dangerous goods

IMDG Information:

Further information: Not regulated as dangerous goods

**International Bulk Chemical Code** 

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Titanium dioxide	13463-67-7
IBC Code:	Category Z (slurry )

## **Section 15 - REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

#### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Carcinogenicity; Acute toxicity; Reproductive Toxicity; Serious Eye Damage/Eye Irritation; Specific Target Organ Toxicity

Page 8 of 12 Issue date: 08-10-2018 Revision 1.0 Print date: 03-13-2020

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

## **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Calcium carbonate	1317-65-3	No	Yes	Yes	Yes	Yes
Titanium dioxide	13463-67-7	No	Yes	Yes	Yes	Yes
Carbon black	1333-86-4	Yes	Yes	Yes	Yes	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)



## WARNING

This product can expose you to chemicals including Titanium dioxide, Diisononyl phthalate, Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Titanium dioxide	13463-67-7
Carc:	carcinogen, 9/2/2011 (airborne, unbound particles of respirable size)
Diisononyl phthalate	28553-12-0
Carc:	carcinogen , 12/20/2013
Carbon black	1333-86-4
Carc:	carcinogen, 2/21/2003 (airborne, unbound particles of respirable size)

## **Canada Regulations**

#### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Dibutyltin oxide	818-08-6
	1 %
Carbon black	1333-86-4
	1 %

# Component Analysis - Inventory Calcium carbonate (1317-65-3)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KECI -	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
----	----	----	----	----	--------------	--------------	----------------------------	--------	----------------------	----	----	----	----	---------------

Page 9 of 12 Issue date: 08-10-2018 Revision 1.0 Print date: 03-13-2020

## Mate

Yes	NSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes
Carb	onic ac	id, cal	cium s	salt (1:	1) (471-3	<b>34-1</b> )								
US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes
Titar	nium di	oxide (	(13463	3- <b>67-</b> 7)										
US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes
Orga	nosilar	ne (276	8-02-7	<b>'</b> )										
US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes
Dibu	tyltin o	xide (8	818-08	-6)										
US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes
Diiso	nonyl j	ohthala	ate (28	3553-1 <i>2</i>	2-0)									
US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	_

Page 10 of 12 Issue date: 08-10-2018 Revision 1.0 Print date: 03-13-2020

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

## **Section 16 - OTHER INFORMATION**

## **NFPA Ratings**

Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## **Summary of Changes**

Section 2 - HAZARDS IDENTIFICATION. Section 11 - TOXICOLOGICAL INFORMATION. Section 15 - REGULATORY INFORMATION. California Safe Drinking Water and Toxic Enforcement Act (Proposition 65).

#### **Preparation Date**

8/10/2018

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Nonspecific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA -Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

#### **Other Information**

**Disclaimer:** 

## Material Name: 1589B/G/T INTER-SEAM STP Polymeric

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.