# **Safety Data Sheet**

Issue Date: 05-Nov-2024 Revision Date: 05-Nov-2024 Version 1

## 1. IDENTIFICATION

**Product identifier** 

Product Name INTEGRA Polymeric Seam Sealer (Gray, Tan, White, Black)

Other means of identification

**SDS #** IES-F01565P, F01592, F01593, F01594

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

Details of the supplier of the safety data sheet

**Supplier Address** 

International Epoxies & Sealers 30241 Commerce Drive San Antonio, FL 33576

Emergency telephone number

Company Phone Number 1

1-800-451-7206

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

#### 2. HAZARDS IDENTIFICATION

#### Physical state Liquid

## Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A

## Signal Word Danger

## **Hazard statements**

May cause an allergic skin reaction
May cause cancer
May damage fertility or the unborn child





## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Revision Date: 05-Nov-2024

Chemical name	CAS No	Weight-%
Calcium Carbonate	471-34-1	10-30
Calcium Carbonate	1317-65-3	10-30
Titanium dioxide (white, gray, tan only)	13463-67-7	1-5
Vinyltrimethoxysilane	2768-02-7	1-5
Carbon Black (gray and black only)	1333-86-4	1-5
Calcium stearate	1592-23-0	1-5
Silicon dioxide	7631-86-9	0.1-1
Aluminum Hydroxide	21645-51-2	0.1-1
Silicic acid, tetraethyl ester, reaction product with bis(acetyloxy)dibutylstannane	93925-42-9	0.1-1
Zirconium Oxide	1314-23-4	<0.1
Silica, Quartz	14808-60-7	<0.1
1-Methoxy-2-propanol	107-98-2	<0.1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

## **Description of first aid measures**

**General Advice** Provide this SDS to medical personnel for treatment.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

# Most important symptoms and effects, both acute and delayed

**Symptoms** May cause an allergic skin reaction.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Revision Date: 05-Nov-2024

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be

allowed out of the workplace.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

**Incompatible Materials**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	-	TWA: 10 mg/m³ total dust
471-34-1			TWA: 5 mg/m <sup>3</sup> respirable dust
Calcium Carbonate	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	

		T	,
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Titanium dioxide	TWA: 0.2 mg/m³ nanoscale	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
	TWA: 2.5 mg/m³ finescale	dust	TWA: 0.3 mg/m³ CIB 63 ultrafine,
	respirable particulate matter		including engineered nanoscale
Carbon Black	TWA: 3 mg/m <sup>3</sup> inhalable	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
			TWA: 0.1 mg/m³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH
Calcium stearate	TWA: 10 mg/m³ inhalable	-	-
1592-23-0	particulate matter except		
	stearates of toxic metals		
	TWA: 3 mg/m³ respirable		
	particulate matter except		
	stearates of toxic metals		
Silicon dioxide	-	TWA: 50 µg/m³ excludes	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9		construction work, agricultural	TWA: 6 mg/m <sup>3</sup>
		operations, and exposures that	
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 6 mg/m <sup>3</sup> <1%	
		Crystalline silica	
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m³ TWA	
Aluminum Hydroxide	TWA: 1 mg/m³ respirable	-	-
21645-51-2	particulate matter		
Zirconium Oxide	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 25 mg/m³ Zr
1314-23-4	TWA: 5 mg/m <sup>3</sup> Zr	(vacated) TWA: 5 mg/m³ Zr	TWA: 5 mg/m³ except Zirconium
		(vacated) STEL: 10 mg/m³ Zr	tetrachloride Zr
			STEL: 10 mg/m³ Zr
Silica, Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m <sup>3</sup>	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	
		respirable fraction	
1-Methoxy-2-propanol	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m <sup>3</sup>	TWA: 360 mg/m <sup>3</sup>
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m <sup>3</sup>	STEL: 540 mg/m <sup>3</sup>

Revision Date: 05-Nov-2024

## **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

AppearanceNot determinedOdorNot determinedColorGray, Tan, White, BlackOdor ThresholdNot determined

Revision Date: 05-Nov-2024

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available
Melting point / freezing point No data available
Initial boiling point and boiling No data available

range

Flash point

Evaporation Rate

Flammability (Solid, Gas)

Flammability Limit in Air

No data available
Not determined
Not determined

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor PressureNot determinedVapor DensityNo data availableRelative Density1.3 - 1.6 g/cm³Volatile by volume2.4%

Volatile by volume 2.4% Volatile by weights 1.7%

Weight per Gallon
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic Viscosity
Explosive Properties
Oxidizing Properties

11.7 pounds per gallon
No data available
Not determined
Not determined
Not determined
Not determined

## 10. STABILITY AND REACTIVITY

## Reactivity

Not reactive under normal conditions.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children.

#### Incompatible materials

None known based on information supplied.

## **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Carbonate 471-34-1	= 6450 mg/kg(Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg(Rat)	-	= 5.09 mg/L (Rat) 4 h
Vinyltrimethoxysilane 2768-02-7	= 7340 μL/kg(Rat)	= 3.54 mL/kg(Rabbit)	= 16.8 mg/L (Rat)4 h
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat) 4 h
Calcium stearate 1592-23-0	> 10 g/kg(Rat)	> 2000 mg/kg (Rat)	-
N-(3- (Trimethoxysilyl)propyl)ethylenedia mine 1760-24-3	= 2413 mg/kg(Rat)	> 2009 mg/kg (Rabbit)	1.49 - 2.44 mg/L (Rat)4 h
Silicon dioxide 7631-86-9	= 7900 mg/kg(Rat)	> 5000 mg/kg(Rabbit)	> 58.8 mg/L (Rat)4 h
Aluminum Hydroxide 21645-51-2	> 5000 mg/kg(Rat)	-	-
Zirconium Oxide 1314-23-4	-	-	> 4.3 mg/L (Rat)4 h
Trimethoxymethylsilane 1185-55-3	= 12300 μL/kg (Rat)	> 10 mL/kg(Rabbit)	> 42.1 mg/L (Rat)6 h
1-Methoxy-2-propanol 107-98-2	= 5000 mg/kg(Rat)	= 13 g/kg(Rabbit)	> 7559 ppm (Rat) 6 h

Revision Date: 05-Nov-2024

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	A3	Group 2B		Х
Carbon Black 1333-86-4	A3	Group 2B		Х
Silicon dioxide 7631-86-9		Group 3	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present

**Reproductive toxicity** May damage fertility or the unborn child.

## **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 15,918.20 mg/kg

 Dermal LD50
 5,157.40 mg/kg

## 12. ECOLOGICAL INFORMATION

Revision Date: 05-Nov-2024

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Vinyltrimethoxysilane		LC50: =191mg/L (96h,	
2768-02-7		Oncorhynchus mykiss)	
Silicon dioxide	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h,	EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella subcapitata)	Brachydanio rerio)	Ceriodaphnia dubia)
Zirconium Oxide		LC50: >100mg/L (96h, Danio rerio)	
1314-23-4			
Trimethoxymethylsilane		LC50: >200mg/L (96h,	
1185-55-3		Oncorhynchus mykiss)	
1-Methoxy-2-propanol		LC50: =20.8g/L (96h, Pimephales	EC50: =23300mg/L (48h, Daphnia
107-98-2		promelas)	magna)

#### Persistence/Degradability

Not determined.

# **Bioaccumulation**

There is no data for this product.

## **Mobility**

Chemical name	Partition coefficient
1-Methoxy-2-propanol	1
107-98-2	

## Other adverse effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

Revision Date: 05-Nov-2024

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECI	PICCS	AIIC
Calcium Carbonate	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Calcium Carbonate	Х	ACTIVE	X	Х	Х	Х	Х	Х	Х
Titanium dioxide	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Vinyltrimethoxysilane	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Amorphous Silica	Х	ACTIVE	X		Χ	Х	X	Х	Х
Carbon Black	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Calcium stearate	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
N-(3- (Trimethoxysilyl)propyl)ethyl enediamine	Х	ACTIVE	Х	Х	Х	Х	Х	X	Х
Silicon dioxide	Х	ACTIVE	Х	Х	Х	Х	X	Х	Х
Aluminum Hydroxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Silicic acid, tetraethyl ester, reaction product with bis(acetyloxy)dibutylstannan e				Х	Х	Х		X	Х
N, N-Bis-(3-(trimethoxysilyl) propyl)-1, 2-ethanediamine	Х	ACTIVE	X	Х	X	X		X	X
Zirconium Oxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Silica, Quartz	Χ	ACTIVE	Χ	Х	Х	Х	X	Х	Х
Trimethoxymethylsilane	X	ACTIVE	X	X	Χ	X	X	X	X
1-Methoxy-2-propanol	Х	ACTIVE	X	X	Χ	X	X	X	X

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Revision Date: 05-Nov-2024

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

The product contains the fellething reposition of chemicals.					
Chemical name	California Proposition 65				
Titanium dioxide - 13463-67-7	Carcinogen				
Carbon Black - 1333-86-4	Carcinogen				
Silicon dioxide - 7631-86-9	Carcinogen				
Silica, Quartz - 14808-60-7	Carcinogen				

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate 1317-65-3	X	Х	Х
Titanium dioxide 13463-67-7	X	Х	Х
Carbon Black 1333-86-4	Х	Х	Х
Zirconium Oxide 1314-23-4		Х	
Silica, Quartz 14808-60-7	Х	Х	Х
1-Methoxy-2-propanol 107-98-2	Х	Х	Х

# **16. OTHER INFORMATION**

Issue Date:05-Nov-2024Revision Date:05-Nov-2024Revision Note:New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**